

# SF-816

SEWFREE TAPE LAYDOWN + TRIMMER 无缝定胶切边机



### INCREDIBLE SOLUTION

- Workable on 2D and 3D construction
- Both Straight and Curve Seam
- Perfect for Knit and Lycra
- Precise Trimming
- 100% Faster
- Software Upgradable

### 不可思议的解决方案

- 高出同类产品100%的加工速度
- 适用于平面与3D立体造型工艺
- 上下轮差速可轻松应对高弹材料
- 精确切边，保证胶条与布边对齐
- 可轻松应对于直线与弯曲位
- 特为针织及莱卡面料而设
- 可升级软件

16

### HIGHLIGHTING FEATURES

- Differential Speed Top/Bottom Roller
- Color Touch Screen Interface
- Digital Tensioning Device
- Adjustable Cutter Speed
- Convertible Platform
- Ergonomic

### 显著特点

- 可转换工作平台（平台及筒式）
- 可随意设定高速切刀速度
- 人体工程力学设计
- 彩色触控屏界面
- 数码式松带装置
- 上下轮可差速

### SPECIFICATIONS

### 规格

Power Supply	电压		AC 220V 50/60Hz, 1Φ
Power Consumption	功率	(W)	3600
Compressed Air	压缩空气	(Mpa)	> 0.4
Maximum Sealing Speed	最大密封速度	(ft/min)	30
Maximum Temperature	最高风嘴温度	(°C)	800
Nozzle Unit	风嘴尺寸	(mm)	12
Upper Roller Width	上轮宽度	(mm)	15
Lower Roller Width	下轮宽度	(mm)	15
Dimensions	外形	LxWxH (mm)	1200 x 700 x 1800
Net Weight	净重	(kg)	140



# SYMBOLS 标志



**TOP & BOTTOM  
DIFFERENTIAL  
FEED ROLLER**



**TAPE CUTTER**



**EDGE TRIMMER**




**VACUUM SUCTION**



**HOT AIR**



**CHUTE HEAT**



**PROGRAM CONTROL**




**BLACK & WHITE  
DISPLAY WITH  
TOUCH SCREEN**




**COLOUR DISPLAY  
WITH TOUCH SCREEN**



**DISPLAY  
PUSH BUTTON**




**UPPER MOLD  
MOVES DOWN**



**BOTTOM MOLD  
MOVES UPSIDE**



**HEAT ON  
UPPER MOLD**



**HEAT ON  
BOTTOM MOLD**




**HEAT & COOL**




**MANUAL MOVEMENT  
UPPER OR LOWER MOLD**




**AUTO MOVEMENT  
UPPER OR LOWER MOLD**



**SWING ARM**



**TAPE FEEDER**



**SCISSOR UPPER  
MOLD MOVEMENT**



**ULTRASONIC**



[www.lidermaq.com](http://www.lidermaq.com)  
[ventas@lidermaq.net](mailto:ventas@lidermaq.net)

# H&H

SINCE 1993

**H&H ASIA GROUP LTD.**

Room 1117, 11/F, Asia Trade Centre, 79 Lei Muk Road, Kwai Chung, N.T., Hong Kong

高科美亚有限公司

香港新界葵涌梨木道79号亚洲贸易中心11楼1117室

[sales@hh.com.hk](mailto:sales@hh.com.hk) | [www.hh.com.hk](http://www.hh.com.hk)